



# Southeastern Idaho Public Health

For Immediate Release  
July 3, 2020

Contact: Tracy McCulloch  
208-239-5250

## **Eleven new COVID-19 Cases Identified in Southeast Idaho**

Southeastern Idaho Public Health has eleven new confirmed cases of COVID-19 (7 in Bannock County, 1 in Bingham County, 1 in Caribou County, 1 in Franklin County, and 1 in Oneida County) in southeast Idaho. This brings the total to 223 confirmed cases in southeastern Idaho. One hundred fifty of the total 223 confirmed cases have recovered from COVID-19.

- Patient is a female in her 50s from Bannock County. Patient is recovering at home. Case is considered community transmission.
- Patient is a male in his 70s from Bannock County. Patient is recovering at home. Investigation is ongoing.
- Patient is a male in his 40s from Bannock County. Patient is recovering at home. Case is considered community transmission.
- Patient is a female in her 40s from Bannock County. Patient is recovering at home. Case is considered community transmission.
- Patient is a female, under the age of 18, from Bannock County. Patient is recovering at home. Case is considered community transmission.
- Patient is a male in his 40s from Bannock County. Patient is recovering at home. Investigation is ongoing.
- Patient is a female in her 60s from Bannock County. Patient is recovering at home. Investigation is ongoing.
- Patient is a female in her 40s from Bingham County. Patient is recovering at home. Investigation is ongoing.
- Patient is a female in her 40s from Caribou County. Patient is recovering at home. Case is considered community transmission.
- Patient is a male in his 60s from Franklin County. Patient is recovering at home. Case is travel related.
- Patient is a male in his 60s from Oneida County. Patient is recovering at home. Patient had contact to a confirmed case.

Community transmission is defined as illness within a community that lacks connection to travel or other confirmed cases.

Home recovering means that the patient is currently at home recovering; it does not imply that their symptoms are mild. These individuals, at the time they receive their test results, are not ill enough to be admitted to the hospital. Every case is different and severity of symptoms has varied. In addition, symptoms can change and become severe rapidly.

SIPH will continue to monitor the situation closely and is working with the Idaho Department of Health and Welfare, city and county leaders, schools, emergency management, healthcare providers, and our community at large to help prevent the spread of this virus.

Prevention methods include:

- Follow Governor Little's Statewide Stay-Healthy Idaho Order at [rebound.idaho.gov](https://rebound.idaho.gov).
- Stay home if you are sick.
- Avoid people who are sick.
- Practice social distancing (6ft).
- Wash your hands often with soap and water for at least 20 seconds. If soap and water are not available, use an alcohol-based hand sanitizer with at least 60% alcohol.
- Cover your nose and mouth with a tissue or your sleeve when you cough or sneeze.
- Avoid touching your eyes, nose, and mouth with unwashed hands.
- Wear cloth face coverings in public places.
- Cleaning and disinfecting surfaces and objects that may be contaminated with germs using a disinfecting solution.

If you believe you have been exposed, make sure to self-isolate. If you need medical attention, please call your healthcare provider in advance of a visit to discuss your symptoms and next steps. Testing is available by calling 208-234-5875.

SIPH has a call center to field questions from the community and is open Monday-Friday 9:00 a.m. to 4:30 p.m. You can reach the hotline at (208) 234-5875.

For southeast Idaho specific information about the novel coronavirus, please visit <https://siphidaho.org/coronavirus.php>.

For Idaho-specific information about the novel coronavirus, please visit <https://coronavirus.idaho.gov/>.

Join us Monday-Friday at 11 am for Facebook Live at <https://facebook.com/siphidaho>.

###

